


เอกสารเวียนถึงคณทรมอไฟโรจน์ ฝั่งสำนัก
กับ เอกสารการคุมครองผู้บริโคค

III

การควบคุมการดำเนินงาน - การควบคุม
การดำเนินงาน, การดำเนินงาน
การดำเนินงาน, การดำเนินงาน



การควบคุม

- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน

การดำเนินงาน

- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน




การดำเนินงาน

- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน
- ควบคุมการดำเนินงาน

Renitec®

I

Indications for use



Indications

Indications

Indications

Part A

- 1000 mg
- 500 mg
- 250 mg
- 100 mg





Part B

- 1000 mg
- 500 mg
- 250 mg
- 100 mg

1000 mg


500 mg

250 mg



Renitec

II Indications



Indications of Renitec:-

- Angina
- Myocardial
- Myocardial

III Contraindications

Contraindications

Myocardial infarction, severe
 heart failure, severe
 liver and kidney disease,
 severe hypotension, severe
 hypotension, severe

Contraindications

- Hypotension, severe
- Myocardial infarction
- Myocardial infarction, severe
- Myocardial infarction, severe
- Myocardial infarction
- Myocardial infarction
- Myocardial infarction
- Myocardial infarction

Contraindications

- Myocardial
- Myocardial infarction
- Myocardial infarction
- Myocardial infarction
- Myocardial
- Myocardial

Myocardial infarction

Myocardial infarction

- Myocardial infarction, severe
- Myocardial infarction, severe
- Myocardial infarction, severe
- Myocardial infarction, severe



Renitec

IV Handwritten notes

Handwritten notes at the top center

